



BICYCLE SUSPENSION | BICYCLE FRAME

PERFORMANCE SUSPENSION

 **everstar** industrial co.,ltd

Add: Fuyuan road.qingguang town. beichen district, tianjin. china.

Tel/Fax: +86-22-86897656

E-mail: Yuehuange@vip.163.com

WWW.TJBIKEMAX.COM

Index

BICYCLE FORK

BICYCLE FRAME



About *everystar*

Everystar bicycle parts factory was established in 2002 and Leading exporter from china of bicycle frame and fork, Our factory is located in Tianjin and mainly to produce Bicycle FRAME and FORK In Steel & Alloy, We focus on high quality products, Our mainly market is for South America, Europes and some for south africa.

All your orders are welcome and will be handled professionally and efficiently.



Strength testing



Impact endurance testing

BM-677 HLO FOR FAT BIKE

MODEL	SPEC
WHEEL SIZE	20"
STEERER	Alloy 30mm (1-1/8")
PITCH	190
FEATURES	Hydraulic lock-out / Coilw system
CROWN	Alloy double crown forged
LOWER LEG	AL ϕ 42 mm hard anodized
STANCHION	AL ϕ 34 mm hard anodized
BRAKE TYPE	Disc brake (Post mount)
CASTING	Boost Axle 15x150mm
TRAVEL	120MM
WT (kgs)	20"-3.1



BM-678 HLO FOR FAT BIKE

MODEL	SPEC
WHEEL SIZE	26"
STEERER	Alloy 39.8mm TAPERED (1-1/8")
PITCH	190
FEATURES	Hydraulic lock-out / Coilw system
CROWN	Alloy forged
LOWER LEG	AL ϕ 42mm hard anodized
STANCHION	AL ϕ 34mm hard anodized
BRAKE TYPE	Disc brake (Post mount)
CASTING	Boost Axle 15x150mm
TRAVEL	120MM
WT (kgs)	26"-2.94




BM-679 HLO DH

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	160
FEATURES	Hydraulic lock-out / Air pressure system Rebound
CROWN	Alloy double crown forged
LOWER LEG	Alloy forged 48mm
STANCHION	AL ϕ 40mm hard anodized
BRAKE TYPE	Disc brake (Post mount)
CASTING	Boost Axle 20x110mm
TRAVEL	150mm
WT (kgs)	29"-3.36



BM-680 HLO DH

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Alloy 39.8mm TAPERED (1-1/8")
PITCH	145
FEATURES	Hydraulic lock-out / Air pressure system Rebound
CROWN	Alloy forged
LOWER LEG	Alloy forged 45mm
STANCHION	AL ϕ 38mm hard anodized
BRAKE TYPE	Disc brake (Post mount)
CASTING	Boost Axle 15x110 mm
TRAVEL	150MM
WT (kgs)	29"-2.37



NEW

BM-651

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	140mm
FEATURES	Coilw system
CROWN	Forged alloy
LOWER LEG	One-piece aluminum \varnothing 42mm
STANCHION	AL6061 \varnothing 34mm hard anodized
BRAKE TYPE	Disc brake (Post mount)
BOOST	Axle 15X110mm
TRAVEL	120MM
WT (kgs)	3.62



NEW

BM-670 E-MLO

MODEL	SPEC
WHEEL SIZE	26" 27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125mm
FEATURES	Mechanical Lock-out / Preload system
CROWN	Forged alloy
LOWER LEG	One-piece aluminum \varnothing 38mm
STANCHION	Steel \varnothing 28.6mm CP
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
TRAVEL	80-100mm
WT (kgs)	29"-2.77



NEW

BM-664 H-AMS

MODEL	SPEC
WHEEL SIZE	26" 27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	140mm
FEATURES	Hydraulic compression / Rebound ADJ System
CROWN	Forged alloy
LOWER LEG	One-piece aluminum \varnothing 45mm
STANCHION	Steel \varnothing 36mm CP
BRAKE TYPE	Disc brake (Post mount)
BOOST	Axle 20X110mm
TRAVEL	120MM
WT (kgs)	26"-4.7



NEW

BM-318 E

MODEL	SPEC
WHEEL SIZE	26" 27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125mm
FEATURES	Mechanical Lock-out / Preload system
CROWN	Forged alloy
LOWER LEG	Steel \varnothing 38mm
STANCHION	Steel \varnothing 28.6mm CP
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	80-100mm
WT (kgs)	29"-3.06



MTB BIKE SUSPENSION FORKS



NEW

BM-222 E

MODEL	SPEC
WHEEL SIZE	26" 27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125
FEATURES	Coilw system
CROWN	Steel
LOWER LEG	Steel \varnothing 38mm
STANCHION	Steel \varnothing 28.6mm CP
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	50-60mm
WT (kgs)	29 / -2.87





BM-663 RLO

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Alloy 28.6mm (1-1/8")
PITCH	130
FEATURES	Hydraulic remote lock-out / Air pressure system / Rebound
CROWN	Forged alloy
LOWER LEG	One-piece aluminum
STANCHION	AL6061 \varnothing 32mm hard anodized
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
TRAVEL	100MM
WT (kgs)	29"-2.28



BM-663-2 RLO

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	130
FEATURES	Hydraulic remote lock-out / Air pressure system / Rebound
CROWN	Forged alloy
LOWER LEG	One-piece magnesium
STANCHION	AL6061 \varnothing 32mm hard anodized
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
TRAVEL	100MM
WT (kgs)	29"-2.23



BM-668 RLO

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Alloy taper 39.8mm
PITCH	130
FEATURES	Hydraulic remote lock-out / Air pressure system / Rebound
CROWN	Forged alloy
LOWER LEG	One-piece magnesium
STANCHION	AL6061 \varnothing 34mm hard anodized
BRAKE TYPE	Disc brake (Post mount)
CASTING	Axle 15x100mm
TRAVEL	100MM
WT (kgs)	29"-2.07



BM-671 RLO

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Alloy taper 39.8mm
PITCH	130
FEATURES	Hydraulic remote lock-out / Air pressure system
CROWN	Forged alloy
LOWER LEG	One-piece magnesium
STANCHION	AL6061 \varnothing 32mm hard anodized
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
TRAVEL	100mm
WT (kgs)	29"-1.85





BM-668-1A RLO

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 39.8mm TAPERED (1-1/8")
PITCH	135
FEATURES	Hydraulic remote lock-out / Air pressure system Rebound
CROWN	Forged alloy
LOWER LEG	One-piece magnesium
STANCHION	AL6061 \varnothing 34mm hard anodized
BRAKE TYPE	Disc brake (Post mount)
CASTING	Boost Axle 15x110mm
TRAVEL	120MM
WT (kgs)	29"-2.07

BM-667 HLO

MODEL	SPEC
WHEEL SIZE	26"
STEERER	Steel 28.6mm (1-1/8")
PITCH	140
FEATURES	Hydraulic lock-out / preload system
CROWN	Forged alloy
LOWER LEG	Forged alloy 41mm
STANCHION	ST \varnothing 32mm CP
BRAKE TYPE	Disc brake (Post mount)
CASTING	Boost Axle 15x110mm
TRAVEL	100mm-150mm
WT (kgs)	



BM-675 RLO

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Alloy 39.8mm TAPERED (1-1/8")
PITCH	135
FEATURES	Hydraulic remote lock-out / Air pressure system Rebound
CROWN	Forged alloy
LOWER LEG	One-piece magnesium
STANCHION	AL6061 \varnothing 32mm hard anodized
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
TRAVEL	120MM
WT (kgs)	29"-1.85

BM-676 HLO

MODEL	SPEC
WHEEL SIZE	24" 26"
STEERER	Steel 28.6mm (1-1/8")
PITCH	130
FEATURES	Hydraulic lock-out / preload system
CROWN	Forged alloy
LOWER LEG	One-piece alloy
STANCHION	steel \varnothing 30mm CP
BRAKE TYPE	Disc brake (Post mount)
CASTING	Boost Axle 15x100mm
TRAVEL	100MM
WT (kgs)	24"-





BM-655 HLO

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	130
FEATURES	Hydraulic lock-out / Air pressure system /Rebound
CROWN	Forged alloy
LOWER LEG	One-piece aluminum
STANCHION	AL6061 \varnothing 32mm hard anodized
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
TRAVEL	100mm
WT (kgs)	29"-2.23



BM-672 RLO

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	130
FEATURES	Hydraulic remote lock-out / Air pressure system Rebound
CROWN	Forged alloy
LOWER LEG	One-piece aluminum
STANCHION	Steel \varnothing 30mm TI color
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
TRAVEL	100MM
WT (kgs)	29"-2.84



BM-653 RLO

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel taper 39.8mm
PITCH	130
FEATURES	Hydraulic remote lock-out / preload system
CROWN	Forged alloy
LOWER LEG	One-piece aluminum
STANCHION	Steel \varnothing 30mm TI color
BRAKE TYPE	Disc brake (Post mount)
BOOST	9mm open dropout
TRAVEL	100MM
WT (kgs)	29"-3.18



BM-654 RLO

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	130
FEATURES	Hydraulic remote lock-out / preload system
CROWN	Forged alloy
LOWER LEG	One-piece aluminum
STANCHION	Steel \varnothing 30mm CP
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
TRAVEL	100mm
WT (kgs)	29"-3.15





BM-662 RLO

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125
FEATURES	Hydraulic Remote lock-out / preload system
CROWN	Forged alloy
LOWER LEG	One-piece aluminum
STANCHION	Steel \varnothing 28.6mm CP
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
TRAVEL	100mm
WT (kgs)	29"-2.66



BM-657 HLO

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	130
FEATURES	Hydraulic lock-out / preload system
CROWN	Forged alloy
LOWER LEG	One-piece aluminum
STANCHION	Steel \varnothing 30mm CP
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
TRAVEL	100MM
WT (kgs)	29"-3.04

BM-658-3 MLO



MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel taper 39.8mm
PITCH	130
FEATURES	Mechanical lock-out / preload system
CROWN	Forged alloy
LOWER LEG	One-piece aluminum
STANCHION	Steel \varnothing 30mm TI color
BRAKE TYPE	Disc brake (Post mount)
BOOST	9mm open dropout
TRAVEL	80-100MM
WT (kgs)	29"-2.87



BM-658 MLO



MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	130
FEATURES	Mechanical lock-out / preload system
CROWN	Forged alloy
LOWER LEG	One-piece aluminum
STANCHION	Steel \varnothing 30mm CP
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
TRAVEL	80-100mm
WT (kgs)	29"-2.81





BM-661 MLO



MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125
FEATURES	Mechanical lock-out / preload system
CROWN	Forged alloy
LOWER LEG	One-piece aluminum
STANCHION	Steel \varnothing 28.6mm CP
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
TRAVEL	80-100mm
WT (kgs)	29"-2.56



BM-659 MLO




MODEL	SPEC
WHEEL SIZE	26"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125
FEATURES	Mechanical lock-out / preload system
CROWN	Forged alloy
LOWER LEG	One-piece aluminum
STANCHION	Steel \varnothing 28.6mm CP
BRAKE TYPE	Disc brake & V-brake
CASTING	9mm open dropout
TRAVEL	80-100MM
WT (kgs)	2.66

BM-673 AMS



MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	130
FEATURES	Coilw / Preload system
CROWN	Forged alloy
LOWER LEG	One-piece aluminum
STANCHION	Steel \varnothing 30mm CP
BRAKE TYPE	Disc brake (Post mount)
BOOST	9mm open dropout
TRAVEL	80-100MM
WT (kgs)	29"-2.87



BM-666 AD

MODEL	SPEC
WHEEL SIZE	700C
STEERER	Steel 28.6mm (1-1/8")
PITCH	107
FEATURES	Coilw
CROWN	Forged alloy
LOWER LEG	One-piece aluminum
STANCHION	Steel \varnothing 25.4mm CP
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	80-100mm
WT (kgs)	2.5





BM-658-2 A BM-658-2 B



MODEL	SPEC
WHEEL SIZE	26"
STEERER	Steel 28.6mm (1-1/8")
PITCH	130
FEATURES	Coilw / Preload system
CROWN	Forged alloy
LOWER LEG	One-piece aluminum
STANCHION	Steel \varnothing 32mm CP
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
TRAVEL	BM-658-2 A:120mm BM-658-2 B:100mm
WT (kgs)	2.58



BM-674 HLO BM-665-2 A BM-665-2 B



MODEL	SPEC	BM-674 HLO
WHEEL SIZE	26"	26"
STEERER	Steel 28.6mm (1-1/8")	Steel 28.6mm (1-1/8")
PITCH	130	130
FEATURES	Coilw / Preload system	Hydraulic lock-out / preload system / Rebound
CROWN	Forged alloy	Forged alloy
LOWER LEG	One-piece aluminum	One-piece aluminum
STANCHION	Steel \varnothing 34mm CP	Steel \varnothing 34mm CP
BRAKE TYPE	Disc brake (Post mount)	Disc brake (Post mount)
CASTING	9mm open dropout	9mm open dropout
TRAVEL	BM-665-2 A:150mm BM-665-2 B:100mm	150mm
WT (kgs)	2.88	3

BM-315 RLO



MODEL	SPEC
WHEEL SIZE	26" 27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125
FEATURES	Hydraulic Remote lock-out / preload system
CROWN	Forged alloy
LOWER LEG	Steel 38mm
STANCHION	Steel \varnothing 28.6mm CP
BRAKE TYPE	Disc brake
BOOST	9mm open dropout
TRAVEL	80-100MM
WT (kgs)	29"-2.96



BM-311 MLO



MODEL	SPEC
WHEEL SIZE	26" 27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125
FEATURES	Mechanical lock-out / preload system
CROWN	Forged alloy
LOWER LEG	Steel 38mm
STANCHION	Steel \varnothing 28.6mm CP
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	80-100MM
WT (kgs)	29"-3





BM-317 MLO



MODEL	SPEC
WHEEL SIZE	20" X4.0 (24" / 26")
STEERER	Steel 28.6mm (1-1/8")
PITCH	165
FEATURES	Mechanical lock-out / preload system
CROWN	Forged alloy
LOWER LEG	Steel 38mm
STANCHION	Steel \varnothing 28.6mm CP
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	80MM
WT (kgs)	20" -2.74



BM-319 AMS



MODEL	SPEC
WHEEL SIZE	29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125
FEATURES	Coilw / Preload system
CROWN	Forged alloy
LOWER LEG	Steel 38mm
STANCHION	Steel \varnothing 28.6mm CP
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	80-100mm
WT (kgs)	29" -

BM-312

MODEL	SPEC
WHEEL SIZE	26" 27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125
FEATURES	Coilw
CROWN	Forged alloy
LOWER LEG	Steel 38mm
STANCHION	Steel \varnothing 28.6mm CP
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	50-60MM
WT (kgs)	29" -2.96



BM-314

MODEL	SPEC
WHEEL SIZE	700c
STEERER	Steel 28.6mm (1-1/8")
PITCH	107
FEATURES	Coilw
CROWN	Forged alloy
LOWER LEG	Steel 31.8mm
STANCHION	Steel \varnothing 25.4mm ED
BRAKE TYPE	V-brake
CASTING	9mm open dropout
TRAVEL	40MM
WT (kgs)	2.37





BM-313

MODEL	SPEC
WHEEL SIZE	20" 24" 26"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125
FEATURES	Coilw
CROWN	Forged alloy
LOWER LEG	Steel 38mm
STANCHION	Steel \varnothing 28.6mm CP
BRAKE TYPE	Disc brake & V-brake
CASTING	9mm open dropout
TRAVEL	50-60MM
WT (kgs)	26" - 2.55



Steel suspension forks



BM-220 RLO

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125
FEATURES	Hydraulic Remote lock-out / preload system
CROWN	Steel
LOWER LEG	Steel 38mm
STANCHION	Steel \varnothing 28.6mm CP/ED/GOLD
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	80-100mm
WT (kgs)	29"-3.18



BM-218 MLO



MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125
FEATURES	Mechanical lock-out / preload system
CROWN	Steel
LOWER LEG	Steel 38mm
STANCHION	Steel \varnothing 28.6mm CP/ED
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	80-100mm
WT (kgs)	29"-2.92

BM-217 AMS

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125
FEATURES	Coilw / Preload system
CROWN	Steel
LOWER LEG	Steel 38mm
STANCHION	Steel \varnothing 28.6mm CP/ED
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	80-100mm
WT (kgs)	29"-2.8





BM-210

MODEL	SPEC
WHEEL SIZE	26" 27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125
FEATURES	Coilw
CROWN	Steel
LOWER LEG	Steel 38mm
STANCHION	Steel \varnothing 32mm ED / CP
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	50-60MM
WT (kgs)	29-2.75



BM-211

MODEL	SPEC
WHEEL SIZE	20" 24" 26" 27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125
FEATURES	Coilw
CROWN	Steel
LOWER LEG	Steel 38mm
STANCHION	Steel \varnothing 28.6mm CP/ED
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	50-60MM
WT (kgs)	29"-2.74

BM-213

MODEL	SPEC
WHEEL SIZE	20" 24" 26" 27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	120
FEATURES	Coilw
CROWN	Steel
LOWER LEG	Steel 31.8mm
STANCHION	Steel \varnothing 25.4mm CP/ ED
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	50-60MM
WT (kgs)	29"-2.33



BM-214

MODEL	SPEC
WHEEL SIZE	20" 24" 26"
STEERER	Steel 28.6mm (1-1/8")
PITCH	120
FEATURES	Coilw
CROWN	Steel
LOWER LEG	Steel 31.8mm
STANCHION	Steel \varnothing 25.4mm CP/ ED
BRAKE TYPE	Disc brake & V-brake
CASTING	9mm open dropout
TRAVEL	50-60MM
WT (kgs)	26-2.24





BM-215

MODEL	SPEC
WHEEL SIZE	20" 24" 26"
STEERER	Steel 25.4 mm
PITCH	107
FEATURES	Coilw
CROWN	Steel
LOWER LEG	Steel 31.8mm
STANCHION	Steel \varnothing 25.4mm ED / CP
BRAKE TYPE	V-brake
CASTING	9mm open dropout
TRAVEL	50-60MM
WT (kgs)	26--2.1

BM-219

MODEL	SPEC
WHEEL SIZE	24" 26" 27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	130
FEATURES	Coilw
CROWN	Steel
LOWER LEG	Steel 42mm
STANCHION	Steel \varnothing 32mm ED
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	50-60MM
WT (kgs)	26-3.54



BM-221

MODEL	SPEC
WHEEL SIZE	20" X4.0, 24" 26" 27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	165
FEATURES	Coilw
CROWN	Steel
LOWER LEG	Steel 38mm
STANCHION	Steel \varnothing 28.6mm CP/ED
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	50-60MM
WT (kgs)	20-2.6



BM-219-2 D/C

MODEL	SPEC
WHEEL SIZE	24" 26" 27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	125
FEATURES	Coilw
CROWN	Steel
LOWER LEG	Steel 38mm
STANCHION	Steel \varnothing 28.6mm CP
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	60MM
WT (kgs)	24"



BM-322

MODEL	SPEC
WHEEL SIZE	27.5" 29"
STEERER	Steel 28.6mm (1-1/8")
PITCH	130
FEATURES	Nil
CROWN	Steel
LOWER LEG	Steel 31.8mm
STANCHION	Steel
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	Nil
WT (kgs)	29"



BM-223 D/C

MODEL	SPEC
WHEEL SIZE	20" 24" 26"
STEERER	Steel 28.6mm (1-1/8")
PITCH	165
FEATURES	Coilw
CROWN	Steel
LOWER LEG	Steel 42mm
STANCHION	Steel \varnothing 32mm gold
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
TRAVEL	60MM
WT (kgs)	26"



BM-109

MODEL	SPEC
WHEEL SIZE	24" 26" 29" MTB
STEERER	Steel 22.2/21.1/25.4mm
MATERIAL	Steel
BRAKE TYPE	Disc-brake
CASTING	9mm open dropout
WT (kgs)	29"



Gravel bike forks Road bike forks



NEW Gravel bike fork

BM-101

MODEL	SPEC
WHEEL SIZE	28" (38C-45C)
STEERER	Alloy 28.6mm (1-1/8")
MATERIAL	Alloy
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
WT (kgs)	



BM-102

MODEL	SPEC
WHEEL SIZE	700c
STEERER	Alloy 28.6mm (1-1/8")
MATERIAL	Alloy
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
WT (kgs)	



BM-103

MODEL	SPEC
WHEEL SIZE	700c
STEERER	Steel 28.6mm (1-1/8")
MATERIAL	Alloy
BRAKE TYPE	Disc brake (Post mount)
CASTING	9mm open dropout
WT (kgs)	



BM-104

MODEL	SPEC
WHEEL SIZE	26 MTB
STEERER	Steel 28.6mm (1-1/8")
MATERIAL	Steel
BRAKE TYPE	Disc brake
CASTING	9mm open dropout
WT (kgs)	



BM-105

MODEL	SPEC
WHEEL SIZE	24" 26" MTB
STEERER	Steel 22.2/21.1/25.4mm
MATERIAL	Steel
BRAKE TYPE	V-brake
CASTING	9mm open dropout
WT (kgs)	



BM-106

MODEL	SPEC
WHEEL SIZE	28"
STEERER	Steel 25.4mm
MATERIAL	Steel
BRAKE TYPE	Caliper brake
CASTING	9mm open dropout
WT (kgs)	



BM-107

MODEL	SPEC
WHEEL SIZE	28"
STEERER	Steel 25.4mm
MATERIAL	Steel
BRAKE TYPE	Caliper brake
CASTING	9mm open dropout
WT (kgs)	



NEW

BM-108 Gravel

MODEL	SPEC
WHEEL SIZE	700c Gravel fork
STEERER	CR-MO 28.6mm (1-1/8")
MATERIAL	CR-MO steel
BRAKE TYPE	Disc brake
CASTING	Boost Axle M10X100mm
WT (kgs)	



Bike frames



EV-114

MODEL	SPEC
WHEEL SIZE	28
MATERIAL	Alloy
BRAKE TYPE	Coaster brake
WT (kgs)	



EV-108

MODEL	SPEC
WHEEL SIZE	27.5"
MATERIAL	Alloy
BRAKE TYPE	Disc brake (Post mount)
BOOST	AXLE M12
WT (kgs)	



EV-109

MODEL	SPEC
WHEEL SIZE	27.5"
MATERIAL	Alloy
BRAKE TYPE	Disc brake (Post mount)
WT (kgs)	



EV-110

MODEL	SPEC
WHEEL SIZE	28"
MATERIAL	Alloy
BRAKE TYPE	V-brake
WT (kgs)	



EV-111

MODEL	SPEC
WHEEL SIZE	28"
MATERIAL	Alloy
BRAKE TYPE	V-brake
WT (kgs)	



EV-112

MODEL	SPEC
WHEEL SIZE	29"
MATERIAL	Carbon
BRAKE TYPE	Disc brake (Post mount)
WT (kgs)	1.15

EV-74

MODEL	SPEC
WHEEL SIZE	29"
MATERIAL	Carbon
BRAKE TYPE	Disc brake (Post mount)
WT (kgs)	1.68



EV-113

MODEL	SPEC
WHEEL SIZE	29"
MATERIAL	Carbon
BRAKE TYPE	Disc brake (Post mount)
WT (kgs)	1.18



EV-80

MODEL	SPEC
WHEEL SIZE	27.5"
MATERIAL	Carbon
BRAKE TYPE	Disc brake (Post mount)
WT (kgs)	1.68



EV-57

MODEL	SPEC
WHEEL SIZE	24"
MATERIAL	Alloy
BRAKE TYPE	Coaster brake
WT (kgs)	1.88



EV-67

MODEL	SPEC
WHEEL SIZE	29"
MATERIAL	Alloy
BRAKE TYPE	Disc brake (Post mount)
WT (kgs)	1.68



EV-87

MODEL	SPEC
WHEEL SIZE	29"
MATERIAL	Alloy
BRAKE TYPE	Disc brake (Post mount)
WT (kgs)	2.3

EV-81

MODEL	SPEC
WHEEL SIZE	27.5"
MATERIAL	Alloy
BRAKE TYPE	Disc brake (Post mount)
WT (kgs)	2.21



EV-94

MODEL	SPEC
WHEEL SIZE	29"
MATERIAL	Alloy
BRAKE TYPE	Disc brake (Post mount)
WT (kgs)	1.78



EV-82

MODEL	SPEC
WHEEL SIZE	29"
MATERIAL	Alloy
BRAKE TYPE	Disc brake (Post mount)
WT (kgs)	2.16



EV-95

MODEL	SPEC
WHEEL SIZE	29"
MATERIAL	Alloy
BRAKE TYPE	Disc brake (Post mount)
WT (kgs)	2.38



EV-96

MODEL	SPEC
WHEEL SIZE	27.5"
MATERIAL	Alloy
BRAKE TYPE	Disc brake
WT (kgs)	2.38



EV-99

MODEL	SPEC
WHEEL SIZE	29"
MATERIAL	Alloy
BRAKE TYPE	Disc brake
WT (kgs)	1.95

EV-97

MODEL	SPEC
WHEEL SIZE	27.5
MATERIAL	Alloy
BRAKE TYPE	Disc brake (Post mount)
WT (kgs)	2.04



EV-107

MODEL	SPEC
WHEEL SIZE	29
MATERIAL	Alloy
BRAKE TYPE	Disc brake
WT (kgs)	2.17



EV-98

MODEL	SPEC
WHEEL SIZE	29"
MATERIAL	Alloy
BRAKE TYPE	Disc brake (Post mount)
WT (kgs)	1.98



EV-115

MODEL	SPEC
WHEEL SIZE	29
MATERIAL	Alloy
BRAKE TYPE	Disc brake & V-brake
WT (kgs)	



EV-117

MODEL	SPEC
WHEEL SIZE	20" 24" 26" 27.5" 29"
MATERIAL	Alloy
BRAKE TYPE	Disc brake Or V-brake
WT (kgs)	

EV-118

MODEL	SPEC
WHEEL SIZE	26" 27.5" 29"
MATERIAL	Alloy
BRAKE TYPE	Disc brake
WT (kgs)	



EV-119

MODEL	SPEC
WHEEL SIZE	29"
MATERIAL	Alloy
BRAKE TYPE	Disc brake (POST MOUNT)
WT (kgs)	
DROPOUT	Boost Axle M12X148mm



EV-120

MODEL	SPEC
WHEEL SIZE	27.5" 29"
MATERIAL	Alloy
BRAKE TYPE	Disc brake (POST MOUNT)
WT (kgs)	
DROPOUT	Boost Axle M12X148mm



EV-121

MODEL	SPEC
WHEEL SIZE	27.5" 29"
MATERIAL	Alloy
BRAKE TYPE	Disc brake (POST MOUNT)
WT (kgs)	





EV-122

MODEL	SPEC
WHEEL SIZE	27.5" 29"
MATERIAL	Alloy
BRAKE TYPE	Disc brake (POST MOUNT)
WT (kgs)	
DROPOUT	Boost Axle M12X148mm



NEW

EV-125 Gravel

MODEL	SPEC
WHEEL SIZE	700C Gravel frame
MATERIAL	Alloy
BRAKE TYPE	Disc brake (POST MOUNT)
WT (kgs)	

EV-123

MODEL	SPEC
WHEEL SIZE	27.5" 29"
MATERIAL	Alloy
BRAKE TYPE	Disc brake (POST MOUNT)
WT (kgs)	



EV-126

MODEL	SPEC
WHEEL SIZE	700C Gravel frame
MATERIAL	Alloy
BRAKE TYPE	Disc brake (POST MOUNT)
WT (kgs)	



NEW

EV-124 BMX

MODEL	SPEC
WHEEL SIZE	26" BMX (NEW TYPE)
MATERIAL	Alloy
BRAKE TYPE	Disc brake
WT (kgs)	



NEW

EV-127 Gravel

MODEL	SPEC
WHEEL SIZE	700C Gravel frame
MATERIAL	CR-MO steel
BRAKE TYPE	Disc brake (POST MOUNT)
WT (kgs)	
DROPOUT	Boost Axle M12X148mm





EV-128 26"

MODEL	SPEC
WHEEL SIZE	26" 27.5" 29" (NEW TYPE)
MATERIAL	Alloy
BRAKE TYPE	Disc brake
WT (KGS)	

EV-129 29"

MODEL	SPEC
WHEEL SIZE	27.5" 29" MTB
MATERIAL	Alloy
BRAKE TYPE	Disc brake
WT (KGS)	



EV-130 29"

MODEL	SPEC
WHEEL SIZE	27.5" 29" MTB
MATERIAL	Alloy
BRAKE TYPE	Disc brake
WT (KGS)	



STEEL FRAMES

EV-89

MODEL	SPEC
WHEEL SIZE	28"
MATERIAL	Steel
BRAKE TYPE	V-brake
WT (kgs)	3.5



EV-102

MODEL	SPEC
WHEEL SIZE	29"
MATERIAL	Steel
BRAKE TYPE	Disc brake
WT (kgs)	3.89



EV-103

MODEL	SPEC
WHEEL SIZE	27.5
MATERIAL	Steel
BRAKE TYPE	Disc brake
WT (kgs)	3.5



EV-93

MODEL	SPEC
WHEEL SIZE	26"
MATERIAL	Steel
BRAKE TYPE	Disc brake & V-brake
WT (kgs)	5.06



EV-116

MODEL	SPEC
WHEEL SIZE	26"
MATERIAL	Steel
BRAKE TYPE	Disc brake
WT (kgs)	





EV-131 29"

MODEL	SPEC
WHEEL SIZE	27.5" 29" MTB
MATERIAL	Steel
BRAKE TYPE	Disc brake
WT (KGS)	

EV-132 26"

MODEL	SPEC
WHEEL SIZE	24" 26" MTB
MATERIAL	Steel
BRAKE TYPE	Disc brake
WT (KGS)	



STEEL FRAMES





TUBELESS Valve

- V-1
- V-2
- V-3 F/V 80L
- V-4 F/V 60L
- V-5 F/V 40L
- V-6 F/V 40L
- V-7 A/V 40L
Valve Switch
Valve Tool



Valve caps



Valve caps



Kids5 Bike Steering limited

V-14



Hydraulic Cartridge

V-15



AIR Cartridge

V-16



Valve caps

V-8



Valve caps

V-9



Valve caps

V-11



Valve caps

V-13



Handle Bar Remote Control

V-17

FRAME HANGER

